



JOEL SCHLEMOWITZ

EXPERIMENTAL FILMMAKING AND
THE MOTION PICTURE CAMERA

AN INTRODUCTORY GUIDE FOR
ARTISTS AND FILMMAKERS

A Focal Press Book

ROUTLEDGE



Experimental Filmmaking and the Motion Picture Camera

Experimental Filmmaking and the Motion Picture Camera is an introductory guide to experimental filmmaking, surveying the practical methods of experimental film production as well as the history, theory, and aesthetics of experimental approaches.

Author Joel Schlemowitz explains the basic mechanism of the camera before going on to discuss slow and fast motion filming, single-frame time lapse, the long take, camera movement, workings of the lens, and the use of in-camera effects such as double exposure. A comprehensive guide to using the 16mm Bolex camera is provided. Strategies for making films edited in-camera are covered. A range of equipment beyond the basic non-sync camera is surveyed. The movie diary and film portrait are examined, along with the work of a range of experimental filmmakers including Stan Brakhage, Rudy Burckhardt, Paul Clipson, Christopher Harris, Peter Hutton, Takahiko Iimura, Marie Losier, Rose Lowder, Jonas Mekas, Marie Menken, Margaret Rorison, Guy Sherwin, and Tomonari Nishikawa.

This is the ideal book for students interested in experimental and alternative modes of filmmaking. It provides invaluable insight into the history, methods, and concepts inherent to experimental uses of the camera, while providing students with a solid foundation of techniques and practices to foster their development as filmmakers.

Supplemental material, including links to films cited in the book, can be found at www.experimentalfilmmaking.com.

Joel Schlemowitz is an experimental filmmaker who works with 16mm film, shadowplay, magic lanterns, and stereographic media. He teaches experimental filmmaking at The New School, New York. His first feature film, *78rpm*, is an experimental documentary about the gramophone, and his short works have been shown at numerous film festivals, including the New York Film Festival, Tribeca Film Festival, and Ann Arbor Film Festival. For more information visit www.joelschlemowitz.com.



Taylor & Francis

Taylor & Francis Group

<http://taylorandfrancis.com>

Experimental Filmmaking and the Motion Picture Camera

An Introductory Guide for Artists and
Filmmakers

Joel Schlemowitz

First published 2019
by Routledge
2 Park Square, Milton Park, Abingdon, Oxon OX14 4RN

and by Routledge
52 Vanderbilt Avenue, New York, NY 10017

Routledge is an imprint of the Taylor & Francis Group, an informa business

© 2019 Joel Schlemowitz

The right of Joel Schlemowitz to be identified as author of this work has been asserted by him in accordance with sections 77 and 78 of the Copyright, Designs and Patents Act 1988.

All rights reserved. No part of this book may be reprinted or reproduced or utilised in any form or by any electronic, mechanical, or other means, now known or hereafter invented, including photocopying and recording, or in any information storage or retrieval system, without permission in writing from the publishers.

Trademark notice: Product or corporate names may be trademarks or registered trademarks, and are used only for identification and explanation without intent to infringe.

British Library Cataloguing-in-Publication Data

A catalogue record for this book is available from the British Library

Library of Congress Cataloging-in-Publication Data

Names: Schlemowitz, Joel, author.

Title: Experimental filmmaking and the motion picture camera : an introductory guide for artists and filmmakers / Joel Schlemowitz.

Description: London ; New York : Routledge, 2019.

Identifiers: LCCN 2018056683 | ISBN 9781138586581 (hardback : alk. paper) | ISBN 9781138586598 (paperback : alk. paper) | ISBN 9780429504488 (e-book)

Subjects: LCSH: Experimental films—Production and direction. | Experimental films—History and criticism.

Classification: LCC PN1995.9.E96 S325 2019 | DDC 791.43/611—dc23

LC record available at <https://lccn.loc.gov/2018056683>

ISBN: 978-1-138-58658-1 (hbk)

ISBN: 978-1-138-58659-8 (pbk)

ISBN: 978-0-429-50448-8 (ebk)

Typeset in Bembo
by Apex CoVantage, LLC

Visit www.experimentalfilmmaking.com

Contents

<i>List of figures</i>	vi
<i>List of charts</i>	xi
<i>Acknowledgments</i>	xii
Introduction	1
1 Dream-vision of the pulldown claw and the hidden workings of the camera	5
2 The machine of light and time	27
3 Camera eye: from cine-flâneurs to experimental optics	54
4 Cine-magic: the trick film and beyond	82
5 Tool of the experimenter: the Bolex H16	104
6 The camera-roll film: the film with no editing	134
7 Custom camera commandos, and the quandaries of obsolescence	153
8 Camera as diary, the film portrait, and the remembrance of filmed past	183
<i>Index</i>	201

Figures

1.1	I: The pulldown claw of a non-reflex Bolex H16 camera with the pressure plate removed to better see the sequence of actions of the claw	6
1.2	The Lumière's cinématographe 35mm hand-crank motion picture camera	7
1.3	The components of the camera, as found inside of the 16mm Bell and Howell Filmo, with the door removed	8
1.4	A super-8 cartridge and 16mm daylight spool	8
1.5	The 400ft coaxial magazine of the Arriflex SR, showing the take-up side of the magazine	9
1.6	The loop formers on a Bolex camera, showing the open and closed positions	10
1.7	An Arriflex SR, with magazine removed	11
1.8	Top row left: Auguste and Louis Lumière's <i>Cuirassiers à cheval</i> (1896). Top row right: Mike Gibisser's <i>Blue Loop, July</i> (2014). Middle row left: Saul Levine's <i>Only Sunshine</i> (2003). Middle row right: Jenny Perlin's <i>Tender Not Approved</i> (2016). Bottom row left: Paul Sharits's <i>Bad Burns</i> (1982). Bottom row right: Paul Clipson's <i>THE LIGHTS AND PERFECTIONS</i> (2006)	12
1.9	The indicator on the outside of the camera of a reflex Bolex H16 camera showing the position of the film plane	13
1.10	The shutter of a non-reflex Bolex H16, with the front of the camera removed to better see the rotation of the shutter	14
1.11	Top row left: Bolex L8 8mm. Top row right: Nizo super-8. Middle row left: 16mm Krasnogorsk K3. Middle row right: 16mm Arriflex SR crystal sync camera with 400ft coaxial magazine. Bottom row left: Bolex H16 Rex5. Note the magazine door on top. Bottom row right: 35mm Arriflex IIA modified to replace 3-lens turret with single lens Nikon mount	22
1.12	Frames from Mike Stoltz's <i>With Pluses and Minuses</i> (2013)	24
2.1	Frames from Marie Menken's <i>Lights</i> (1966), showing the motion blur produced by the camera moving rapidly while shooting	31
2.2	The aperture setting of a lens on a Bell and Howell 70-D. Left: f-2.8 Center: f-5.6 Right: f-16	32
2.3	Top row left: Joseph Cornell and Rudy Burckhardt's <i>Angel</i> (1953). Top row right: Marie Menken's <i>Notebook</i> (1962). Middle row left: Richard Tuohy's <i>Iron Wood</i> (2009). Middle row right: Jeanne Liotta's <i>Observando El Cielo</i> (2007). Bottom row left: Takashi Ito's <i>Thunder</i> (1982). Bottom row right: Andy Warhol's <i>Eat</i> (1963)	34

2.4	Frames from Curt Heiner's <i>Limited Sight Distance</i> (2017), showing the change in exposure resultant in opening the f-stop while shooting	35
2.5	Above: The Tobin intervalometer attached to a 16mm non-reflex Bolex H16 M. Below: Detail of the controls on the Tobin intervalometer	40
2.6	Still frames from the "Night Writing" section from Marie Menken's <i>Notebook</i> (1962), created through the use of long exposures with a Bolex camera and handheld camera movement while filming lights at night	42
3.1	Top row left: Rudy Burckhardt and Joseph Cornell's <i>What Mozart Saw on Mulberry Street</i> (1956). Top row right: Helen Levitt, James Agee, and Janice Loeb's <i>In the Street</i> (1948). Middle row left: Peter Hutton's <i>New York Portrait, Chapter I</i> (1979). Middle row right: Phill Niblock's <i>The Movement of People Working</i> (1973–1992). Bottom row left: Willard Maas's <i>Geography of the Body</i> (1943). Bottom row right: <i>Light Leaves</i> (1978) from Guy Sherwin's <i>Short Film Series</i> (1975–2014)	56
3.2	A door peeper used as a fisheye lens, mounted in front of a 25mm Switar lens using the cap from the plastic container for 35mm still film	61
3.3	The Switar 18–86mm zoom lens mounted to a Bolex Rex5	61
3.4	The depth of field indicator on a Switar 25mm lens	62
3.5	A set of c-mount extension tubes	64
3.6	The mirror shutter of the Arriflex SR	67
3.7	A Nikon/c-mount lens mount adaptor mounted on a 16mm Bolex camera, allowing a 55mm Nikkor micro lens to be used for macro shooting	69
3.8	A multi-faceted "suncatcher" used in front of the camera lens, handheld	70
3.9	Top row left: Saul Levine's <i>Born Under A Bad Sign</i> (2003). Top row right: Marie Losier's <i>L'Oiseau de la nuit</i> (2015). Middle row left: Albert Alcoz's <i>Triple exposure (Triple exposición)</i> (2013). Middle row right: James Sibley Watson and Melville Webber's <i>The Fall of the House of Usher</i> (1928). Bottom row left: Germaine Dulac's <i>The Seashell and the Clergyman (La Coquille et le clergyman)</i> (1928). Bottom row right: Dziga Vertov's <i>Man with a Movie Camera (Chelovek s kinoapparatom)</i> (1929)	74
4.1	Top row left: Georges Méliès's <i>The Vanishing Lady (Escamotage d'une dame au théâtre Robert Houdin)</i> (1896). Top row right: Georges Méliès's <i>The Man With the Rubber Head (L'homme à la tête de caoutchouc)</i> (1901). Middle row left: Georges Méliès's <i>The Four Troublesome Heads (Un homme de têtes)</i> (1898). Middle row right: Hans Richter's <i>Ghosts Before Breakfast (Vormittagsspuk)</i> (1928). Bottom row left: Marjorie Keller's <i>Superimposition (1)</i> (1975). Bottom row right: Julie Orlick's <i>Trauer Natur</i> (2018)	85
4.2	The matte shot from Maya Deren's <i>Meshes of the Afternoon</i> (1943)	93
4.3	Above: The sharpness or softness of the edges of the matte are controlled by the following factors: A: Focal length of lens. wider = sharper/longer = softer; B: F-stop setting, closing down = sharper/opening up = softer; C: Distance of the matte from the lens. further away = sharper/closer = softer. Neutral density filters may also be used to control the sharpness or softness of the matte.	

	Below: The matte box used by filmmaker Tomonari Nishikawa for <i>Ten Mornings Ten Evenings and One Horizon</i> (2016)	95
4.4	Gaffer tape used to create a matte with a 10mm lens, taking advantage of the extreme depth of field of the wide lens to mount the handmade matte directly, without the need for a matte box	96
4.5	Top row left: Marie Losier's <i>The Ontological Cowboy</i> (2005). Top row right: Rosalind Schneider's <i>Irvington To New York</i> (1972). Middle row left: Peter Cramer's <i>Black & White Study</i> (1990). Middle row right: Germaine Dulac's <i>The Seashell and the Clergyman (La Coquille et le clergyman)</i> (1928). Bottom row left: Shuji Terayama's <i>Shadow Film – A Woman with Two Heads (Nito-onna – Kage no Eiga)</i> (1977). Bottom row right: James Sibley Watson and Melville Webber's <i>The Fall of the House of Usher</i> (1928)	98
5.1	Marie Menken with Bolex camera	104
5.2	The round-bottom reflex Bolex camera is of an older vintage than the flat-bottomed version	107
5.3	Right side of the Bolex Rex4 camera	108
5.4	Three types of diopter. Left: An early reflex camera. Middle: A Rex4. Right: A late-model Rex5	109
5.5	The variable shutter. Top: Open and locked in place. Middle: Unlocked. Bottom: Closed	111
5.6	The warning triangle for the variable shutter, as seen in the viewfinder	112
5.7	The newer version of the I/T switch is a small knob with a notch indicating the setting of the switch	112
5.8	With the older version of the I/T switch, it is easier to see if the camera is set to I or T	113
5.9	The front of the Bolex Rex4 camera	114
5.10	The turret lock. Left: The turret may be locked in place when using a heavy lens on the camera. Right: To set the turret lock out of the way, tighten the small disc to hold it in place	115
5.11	The prism on a reflex Bolex	116
5.12	Left side of the Bolex Rex4 camera	116
5.13	The filter holder	116
5.14	Inside of the Bolex Rex4 camera	118
5.15	The film cutter. Left: Properly cut film. Right: Film cut with a broken sprocket may result in a film chip in the gate	118
5.16	The audible counter	120
5.17	The blooper covers on the Rex5	120
5.18	Non-reflex and reflex lenses are identified by the letters AR in white or RX in red, respectively	121
5.19	The turret locking cap is used when mounting a heavy zoom lens on the camera to prevent the turret from shifting	123
5.20	Above: The backwind crank. Below: The crank engaged with the 8-to-1 shaft (K) to backwind film in the camera	123
5.21	The Bolex cable release adaptor, with cable release attached for single-frame shooting	124
5.22	The Rex-o-fader installed on a Bolex Rex4	124

5.23	Tape placed around the camera door after loading to prevent light leaks	128
6.1	Top row left: Guy Sherwin's <i>Eye</i> (1978). Top row right: Guy Sherwin's <i>Portrait With Parents</i> (1975). Middle row left: Guy Sherwin's <i>Cat</i> (1977–78). Middle row right: Guy Sherwin's <i>Clock and Train</i> (1978). Bottom row left: Marie Losier's <i>Snowbeard</i> (2009). Bottom row right: Echo Park Film Center's <i>The Sound We See: A Los Angeles City Symphony</i> (2010)	137
6.2	The electric motor-driven 16mm Canon Scoopic	146
6.3	Top row left: Christopher Harris's <i>28.IV.81 (Bedouin Spark)</i> (2009). Top row right: Rose Lowder's <i>Les Tournesols</i> (1982). Middle row left: Margaret Rorison's <i>PULL/DRIFT</i> (2013). Middle row right: Margaret Rorison's <i>vindmøller</i> (2014). Bottom row left: Brendan and Jeremy Smyth's <i>Rice for Sale</i> (2013), Part 1: Down the Heavenly Mountain. Bottom row right: Brendan and Jeremy Smyth's <i>Rice for Sale</i> (2013), Part 2: Toward the Demonic Sea	148
6.4	Flyer for the Flicker Film Series screening, Attack of the 50-Foot Reels	150
7.1	Above: Morris Engel's custom-made twin-lens reflex 35mm motion picture camera. Below: Morris Engel filming <i>Lovers and Lollipops</i> (1955)	154
7.2	The sprocketed roller of a Keystone home movie camera from the 1920s	155
7.3	Above: An 8mm home movie camera manufactured by Eastman Kodak. Below: A Bell and Howell 16mm magazine camera and pre-loaded magazine	156
7.4	Top row left: Lynne Sachs's <i>Drawn & Quartered</i> (1987). Top row right: Tomonari Nishikawa's <i>16–18–4</i> (2008). Middle row left: Jérôme Schlomoff's <i>CULTURE CHANEL - The sense of places</i> (2014). Middle row right: John Porter's <i>Cinefuge 5</i> (1981). Bottom row left: Shirley Clarke's <i>The Connection</i> (1961). Bottom row right: Storm De Hirsch's <i>Jonas in the Brig</i> (1964)	158
7.5	Novelty cameras. Above: The multi-lens 35mm still camera used by Tomonari Nishikawa to shoot <i>16–18–4</i> (2008). Below: The Lomokino hand-crank 2-perf 35mm movie camera	159
7.6	Paolo Gioli with one of his handmade pinhole cameras	160
7.7	Jérôme Schlomoff's prototype for a 35mm pinhole camera, in cardboard (2001)	161
7.8	Brian Frye's DIY super-8 cartridge pinhole camera	161
7.9	Bolex Rex5 with an anamorphic lens, mounted using accessories intended for adding a matte box/lens support/rack focus attachment to a DSLR camera	162
7.10	Above: <i>La Région Centrale</i> (Production Still) 1971. Below: Preparatory Note for <i>La Région Centrale</i> 1970	163
7.11	Zoe Beloff's <i>Shadow Land or Light from the other Side</i> (2000), showing the two side-by-side images filmed using the Bolex 3-D attachment	164
7.12	Above: Zoe Beloff filming 3-D with Bolex camera and 3-D attachment. Below: Detail of the Bolex 3-D attachment	165
7.13	Eumig Nautica Super-8 underwater camera	166

- 7.14 **Top row left:** *Symbiopsychotaxiplasm Take One* (1968). **Top row right:** Anne Charlotte Robertson's *Five Year Diary* (1981–1997). **Middle row left:** Christopher Harris's *Halimuhfack* (2016). **Middle row right:** MM Serra's *Papa's Garden* (1991). **Bottom row left:** Jeff Scher's *Spring City* (2011). **Bottom row right:** Helen Hill's *Madame Winger Makes a Film* (2001) 167
- 7.15 Frames from Guy Sherwin's *Musical Stairs* (1977), showing the optical soundtrack created using images from the film 176
- 7.16 PixelVision PXL-2000 camera 179
- 7.17 The Digital Bolex, with a 10mm Switar lens 180
- 8.1 **Top row left:** Jonas Mekas's *Diaries, Notes, and Sketches, also known as Walden* (1969). **Top row right:** Bruce Baillie's *Mr Hayashi* (1961). **Middle row:** Ephraim Asili's *American Hunger* (2013). **Bottom row left:** Rudy Burckhardt's *Under The Brooklyn Bridge* (1953). **Bottom row right:** Jim Hubbard's *Elegy in the Streets* (1989) 190

Charts

1.1	Film gauges	18
2.1	F-stops	32
2.2	Exposure compensation for fast motion and slow motion	39

Acknowledgments

I would like to thank the following people who played some role in helping to make this book possible: Dawn Elliott for her support and patience during the writing of this book. MM Serra and The Film-Makers' Cooperative for the scholarly residency where I viewed many films cited herein, and for the scanning of still images from films in the collection. Mike Olshan for his invaluable assistance in copyediting the draft manuscript. The peer review readers for providing useful feedback. The readers who looked at smaller portions of the manuscript: Keith Sanborn, Kathryn Ramey, and Jeff Kreines. Bradley Eros and Jed Rapfogel, among others, with whom I bounced ideas around in the early stages of writing this book. Joanna Ebenstein for her encouragement at the outset of this project. Pip Chodorov for providing access to early material from the Frameworks Listerv. The many filmmakers who provided work for me to view, including Guy Sherwin, Christopher Harris, and others. The editors and staff at Focal Press.

For the images in this book, I greatly appreciate the help from Michael Stewart at The New School, Zach Poff at Cooper Union, and Steve Cossman at Mono No Aware for allowing me to photograph cameras and other equipment, as well as the filmmakers who provided images, including Albert Alcoz, Zoe Beloff, Norwood Cheek, the Paul Clipson Family, Peter Cramer, Mary Engel, Paolo Gioli, Christopher Harris, the Harvard Library's Film Conservation Center, Curt Heiner, Jim Hubbard, Martina Kudláček, Jeanne Liotta, Marie Losier, LUX, Tomonari Nishikawa, Julie Orlik, Jenny Perlin, Margaret Rorison, Lynne Sachs, Jeff Scher, Jérôme Schlomoff, MM Serra, Guy Sherwin, Brendan and Jeremy Smyth, and Mike Stoltz, among others. Thanks too to Antonella Bonfanti and Seth Mitter at Canyon Cinema for help in tracking down images.

Introduction

The purpose of this book is to provide a text for an introductory experimental filmmaking course. It is designed to fill a void with its emphasis on experimental approaches. Books on production techniques for introductory filmmaking courses are of a more generalist nature. Existing literature on experimental cinema tends to be non-technical, focusing on film history and theory. The exception to this deficit is Kathryn Ramey's *Experimental Filmmaking: Break the Machine*, a superb and comprehensive book on experimental film technique. However, its coverage of cameraless filmmaking, hand-processing, optical printing, and expanded cinema is premised on the assumption that the fundamentals of film production (how to load a camera, an understanding of exposure, lenses, and basic shooting techniques) are covered elsewhere in the filmmaking curriculum. This book covers these fundamentals from the experimenter's vantage, drawing upon my experience teaching an introductory experimental production course at The New School: "The Innovative Camera: Experiments in 16mm Filmmaking."

The organization of material for this book is tailored to this framework. Chapters have been arranged to track the progress during a 12 to 15-week semester in which students first learn how the equipment works and shoot their own short projects.

- Chapter 1: The first chapter introduces the fundamental functions of the camera and the range of experimental capacities associated with the mechanism itself.
- Chapter 2: Time and exposure are the principal subjects of this chapter, including film speed, shutter speed, frame rate, and aperture settings.
- Chapter 3: The lens is the subject of this chapter. At this point in the semester, having gained an understanding of the camera, exposure, and lenses, students will experience working on in-class shoots relating to optical experiments, single-frame sequences, and filming time exposures with the Bolex.
- Chapter 4: In-camera effects, such as double exposure, are detailed in this chapter. Students will shoot in-class experiments with double-exposure and matte shots by this point in the term.
- Chapter 5: By now, the time has arrived for students to go out and shoot on their own, so a comprehensive guide to the Bolex camera is the subject of the fifth chapter.
- Chapter 6: This chapter provides guidance regarding the making of a three-minute single camera-roll film, edited in the camera. Creating experimental camera-roll films forms the basis of the experimental production course for which this book was written.

2 Introduction

Chapter 7: The seventh chapter surveys a range of equipment beyond the basic non-sync camera. It is here to introduce students to the technological history of the camera and provide a base of knowledge from which to embark on further experimentation.

Chapter 8: The final chapter looks at the work of artists who have made the camera an intrinsic tool in their process by means of the film diary, the film portrait, and using the camera's photographic glimpses as a form of preservation of the tangible present for some unknowable future. While reading these last two chapters, students are working on finishing their projects as the term comes to an end.

The distinction between this book and the general-purpose filmmaking guide is not just the practical application of alternative techniques but also the range of examples of filmmakers who have made the camera a critical aspect of their working method. The films of Christopher Harris, Rose Lower, Marie Menken, and Guy Sherwin, among others, are provided as examples. This book is not, nor is it meant to be, a comprehensive survey of experimental filmmakers, owing to its principal focus on the camera. Production courses tend not to show very much work, leaving this to the purview of film studies courses. But experimental film production courses are more obliged to address students' lack of exposure to this work. The descriptions of films throughout the book are provided to assist the teacher, as well as the student, in finding work for screening in the classroom. Short films are the primary examples given. Online links to view many of the films described in this book can be found via *Experimental Filmmaking and the Motion Picture Camera's* web supplement: www.experimentalfilmmaking.com

The objective for providing these examples also stems from a desire to not divide technical matters from aesthetic concerns. The concept for a project should not be conceived in isolation from the inherent qualities of the medium, because an ill-fitting pairing of concept and consequence may result. The filmmaker Sam Wells expressed this concern in a posting on the Frameworks Listserv¹ in 1999:

FRAMEWORKS Experimental Film Discussion List
Mon, 25 Jan 1999 17:54:08
Subject: [FRAMEWORKS] Reverse/Negative: a comment..

. . . I suppose there are two ways to consider the use of any photographic material. Either, you ask if _it_ can serve _you_ and therefore let you engage your subject with a minimum of fussy mediation. . . . Or, you approach the product not _only_ on the level of [its] servitude but as a kind of servant to its particular qualities, which . . . lead you into an engagement with what it - and its use can reveal to you - which is often more abstract. . .

Real world experience obviously falls between these two categories.

-Sam Wells

It is therefore not just a matter of learning to use the techniques, equipment, and basic properties of the media but also what one can learn from them while working with these tools. The examples provided have been comingled with the technical content of this book to demonstrate the many ways in which this learning takes place. The diverse nature of the films reflects the innumerable directions such a conversation between the artist and the medium may take.

The primary medium for *Experimental Filmmaking and the Motion Picture Camera* is 16mm film. As with Ramey's *Experimental Filmmaking: Break the Machine*, the relevance of a text on analog film in an increasingly digital production environment is a response to young filmmakers' desire to experience working with "real film." Even if working with 16mm remains as a transitory occurrence, or is practiced as an avocation rather than as a professional occupation, the discipline and concentration of working in film will carry over into approaching other media. There is a particular combination of care and creativity gained from what film reveals to the filmmaker.

Working with 16mm film, one shoots not just with one's eye but also with one's hands. The hands hold the camera, manipulate the controls, turn the rings on the lenses, and push the button to release the spring. Shooting film (especially with a camera like the Bolex), one can be physically aware of the momentum of the film through the camera, the release of the camera's spring tension, the machine subtly trembling one's hands. The film camera's subtle shuddering energy can affect one, as if transferring some of the spring's energy to the act of filmmaking – what the experimental filmmaker Marie Menken referred to as "the twitters of the machine."²

The prevalent idea of filmmaking is to see the function of the camera as a component coequal with all other facets of the process. It is the tool of cinematography, along with a movie's other ingredients, including screenwriting, directing, acting, set design, costumes, lighting, special effects, editing, sound design, and music. This dovetails with the notion of cinema as an aesthetic amalgamation, incorporating aspects of all the other arts in its production. Russian director and film theorist Sergei Eisenstein proclaimed, "... the cinema is that genuine and ultimate synthesis of all artistic manifestations that fell to pieces after the peak of Greek culture, which Diderot sought vainly in opera, Wagner in music-drama, Scriabin in his color-concerti, and so on and on."³

If we momentarily adopt this analogy of the cinema as grandly orchestrated endeavor – with the movie director in the role of the conductor, baton in hand – the filmmaker who journeys out with just a camera is more like the solo musician, creating the film without the need for a concert hall filled with production gear. The moving-image instrument invites virtuosity comparable to its musical kin: the aplomb and precision of Fritz Kreisler or the inextinguishable creative energy of Zeena Parkins. In 1960, Jonas Mekas wrote about what he termed "film troubadours" in his column in the *Village Voice*: "Every day I meet young men and women who sneak into town from Boston, Baltimore, even Toronto, with reels of film under their coats – as if they were carrying pieces of paper scribbled with poems... They are the real film troubadours."⁴ The solo filmmaker with a movie camera is very much the film troubadour, it would seem.

Pragmatically speaking, for filmmakers who place the camera at the crux of the creative undertaking, this pared-down process might be a question of economy: Just a camera, a light meter, a film roll, that's all that's needed. This approach allows the beginning filmmaker to commence working on projects with just the acquisition of the most basic implements of the craft, with the camera acting as the entryway through which creativity can be fulfilled in a complete fashion and on a personal scale.

Notes

1 <http://www.hi-beam.net/cgi-bin/fwredirect.pl?dir=fw10&listfile=author.html&file=0361.html&date=25+Jan+1999&subject=Reverse/Negative:+a+comment>.

4 Introduction

- 2 Mandell, Leslie (assisted by Paul Sitney), "Interview with Marie Menken," *Wagner Literary Magazine* no. 4., Gerard Malanga and Paul Katz ed. Staten Island, NY: Wagner College, 1963–64, p. 48.
- 3 Eisenstein, Sergei, "Achievement" (1939), in Jay Leyda ed. and trans. *Film Form Essays in Film Theory and Film Sense*. Cleveland and New York: Meridian Books, 1968, p. 181.
- 4 Mekas, Jonas, "On Film Troubadours" (1960), *Movie Journal: The Rise of the New American Cinema 1959–1971*. New York: Collier Books, 1972, p. 20.

1 Dream-vision of the pulldown claw and the hidden workings of the camera

This chapter covers how the motion picture camera was created, how it works, and filmmakers who make use of its fundamental aspects.

Three inventions, created in the nineteenth century, are unlikely kinsfolk. The common bond between these devices is a sequence of movement and stillness, repeating in quick succession. This trio of the mechanical age comprises the sewing machine, the motion picture camera, and the machine gun.¹ Perhaps the typewriter, with its spring-driven carriage advancing the paper between strokes of the key, may be considered yet another cousin of these inventions. Each of these was less an entirely new idea than a clockwork-drive version of its manual precursor: The sewing machine brought machine-age production to the handcraft of the seamstress; the mechanically reloading Gatling gun brought death on the battlefield to a scale of industrial mass production; the motion picture brought the dreamy shadowplay and painted glass-slide phantasms of the magic lantern show into the photographic age.

Inventor Louis Lumière acknowledged the genealogical pedigree of the one device begetting the other; the camera's "pulldown claw," resembling the "presser foot" of the sewing machine, coming to him as a mental image during a night of insomnia while fretting over the invention's development.² The terminology may be a bit inexact as far as this comparison is formulated; the presser foot of the sewing machine acting to halt the fabric so the needle may pass through serves a function like the motion picture camera's pressure plate. It is a component called the "feed dog," which seems to bear a greater resemblance to the critical component of the Lumière camera. On a sewing machine, the feed dog is a pair of thin saw-toothed plates coming up through slots in the bed of the machine. The teeth of the feed dog move the fabric to the location of the next stitch and withdraw as the needle penetrates the fabric once again. A rotating cam produces this series of movements. In Lumière's insomnia-induced solution, the mechanism of the camera is comprised of a pulldown claw (feed dog) grasping onto the film to move it to the location of the next exposure. The film is held still and steady by the pressure plate (presser foot) during exposure. The shutter opens, ushering in the lens-light (needle) to stitch an exposure onto the film's emulsion.

In its rapid, death-dealing chain of actions, the ammunition-laden machine gun belt advances a cartridge, coming to a halt in the firing chamber, where the firing pin engages with the bullet's primer. Just as the motion picture camera takes in light through the barrel of the lens, the firearm expels its projectile outbound through its barrel. In either case, the action is "to shoot."³



Many inventors played a role in the birth of cinema, in a patchwork of developments: Eadweard Muybridge's Zoopraxiscope, created in 1879, took the optical toys of the nineteenth century and added the photographic camera to create a looping series of sequential photographs. Inspired by Muybridge's device, Thomas Edison directed his employee William Kennedy Dickson to build a moving image companion to his audio-reproducing phonograph. This eventually became the Kinetoscope camera and its accompanying peep-show viewer, both patented in 1891 after years of experimentation.

In 1895, the German magic lanternist Max Skladanowsky adapted the use of dual glass slide projections of "dissolving views" to the task of moving photographic images, fashioned into two alternating loops, punched with perforations and grommets, and then projected on the screen in a device that seems more like some unruly Steampunk hallucination than a practical cinematic apparatus.⁴ There was also the work of Louis Le Prince, whose unexplained disappearance on a train from Dijon to Paris in 1890 produced more of an unsettling mystery than a sustained place among the innovators of the motion picture camera. "Perhaps the question or priority, like the Loch Ness Monster, is best left alone,"⁵ writes John Frazer on this jumble of rival claims.

But it was the brothers Lumière who saw opportunity where Edison had imagined unprofitability; the moving image projected to an audience on a screen, rather than the single-viewer Edison Kinetoscope peep-machine. The Lumières first presented this to the public in 1895.

The machine created by the brothers Lumière was not just a camera; it was a printer and projector as well – a whole system of production in one modular device. As historian and filmmaker Erik Barnouw described it:

The *cinématographe* could be carried as easily as a small suitcase. Handcranked, it was not

Figure 1.1 I: The pulldown claw of a non-reflex Bolex H16 camera with the pressure plate removed to better see the sequence of actions of the claw. The arrows indicate the movement of the claw as it advances the film between exposures, and then retracts, moving back into position during the exposure of the film.

dependent on electricity. The world outdoors – which offered no lighting problems, at least during the day – became its habitat. It was an ideal instrument for catching life on the run – “sur le vif,” as Lumière put it.

A remarkable fact about this small box – a trim hardwood item of much elegance – was that it could, with easy adjustments, be changed into a projector, and also into a printing machine. This meant that an *opérateur* with this equipment was a complete working unit: he could be sent to a foreign capital, give showings, shoot new films by day, develop them in a hotel room, and show them the same night. In a sudden global eruption, Lumière operators were soon doing precisely this throughout the world.⁶

What also makes the Lumière apparatus so remarkable is how little the core elements of the motion picture camera have changed since the design of the *cinématographe* (except, of course, the separation of camera, contact printer, and projector functions into specialized machines). Once loaded with film, and the door of the camera is closed, the internal workings become concealed from view. Yet, if we might be shrunken down to Lilliputian scale and slip inside the metal enclosure, what would we witness therein? What aspects of the camera’s core functions and particularities might be fodder for experimentation? Becoming acquainted with the motion picture machine also includes an understanding of how to avoid common mistakes; deciding how to choose between different cameras to achieve a particular outcome; and gaining a sense of the range of possibilities (from a more pragmatic standpoint) when making use of equipment readily on hand.

We will tour the camera, following the path of the ribbon of film, pausing now and then to address these other questions along the way. We will occasionally highlight the work of filmmakers who have made special use of some element of the mechanism.

The camera

The body of the camera itself is a light-tight box, the tightly fitting camera door containing a baffle around the edge to keep light from seeping in through the seam and fogging the film. Sometimes fogging of the film can happen due to some small crevice in the door. Typically, this will be seen on screen at the beginning or the end of a shot as a smudge of light upon the surface of the film, or as a red glow along the side of the image. To prevent light leaks from causing fogging, it is common practice to put gaffer tape around the camera door as an additional seal. Outdoors, in sunlight, this tends to make a difference, but it’s not always as essential when filming in low light conditions, or when working with a camera you know to be sufficiently light-tight.



Figure 1.2 The Lumière’s *cinématographe* 35mm hand-crank motion picture camera. In the words of Erik Barnouw: “The *cinématographe* could be carried as easily as a small suitcase.” Courtesy of the George Eastman Museum.

Supply reel (A)

The starting point for the film is the supply reel. In 100ft-loading 16mm cameras (like the Bolex, for instance), this is usually located on the top portion of the camera's inner chamber. The film is loaded onto a spindle from which the unexposed film is unreeled through the mechanism. When the film is supplied on a daylight spool, as is the case with a 100ft roll, the outer part of the film is exposed to light. The spool, and the outer windings of the film itself, protects the film inside from being exposed. When the film is first loaded into the camera, the first seven seconds of film are the "flares" – the transition from the fully exposed to unexposed film. On screen, the effect is of undulating light washing over the image, transitioning from white through a veil of yellow, orange, and red (or shades of gray, in the case of black and white film). Sometimes the sprocket holes on the film allow some light




Figure 1.3 The components of the camera, as found inside of the 16mm Bell and Howell Filmo, with the door removed: A: Supply reel; B: Sprocketed rollers; C: Loops; G: Pressure plate; K: Take-up reel.




Figure 1.4 A super-8 cartridge and 16mm daylight spool. The super-8 cartridge contains the supply and take-up, along with the pressure plate.

to pass through, stenciling the outline of the sprockets onto the emulsion of the coiled up roll during the flares. To avoid losing a shot to the flares, the film is usually advanced seven seconds when 100ft daylight-loading spools are used.

Filmmakers who have used light flares as a technique include Christopher Harris, in his film *28.IV.81 (Descending Figures)* (2011), and Guy Sherwin, in *Window/Light* (2013). In both these cases, the camera door was opened at points during the filming, resulting in mid-roll camera flares momentarily obliterating the image. Camera flares can be used as a transition to end a sequence (with careful timing by the filmmaker to have the film run out at the right moment), which is seen in the portrait films of Marie Losier, such as *Tony Conrad, DreamMinimalist* (2008) and *Byun, Objet Trouve* (2012).

Film magazines

An alternative to the self-contained camera is the magazine-loading version. In the case of a magazine-loading camera, holding 400 feet of film, the film comes supplied on a two-inch plastic core (a size referred to as a “camera core”) with no protection from complete exposure apart from the metal can and an opaque black plastic bag inside. Film on a core must be loaded in darkness so as not to entirely expose the film to raw light. Magazines come in different configurations, based upon the camera: The twin-chambered “Mickey Mouse ears” magazine found on cameras such as the Auricon; the single-chamber magazine on the Arriflex S, M, or BL; the compact, coaxial magazine, with the supply and take-up chambers arranged side by side – the Arriflex SR, Aaton, and Éclair NPR and ACL are fashioned in this manner.

200ft magazines can also be found in both 16mm and 35mm, but these are of limited usefulness (16mm film is no longer supplied in 200ft lengths, consequently needing to be wound down from 400ft rolls).

The magazine will typically have a core adaptor for loading the plastic camera core the film is supplied on into the magazine. With the core adaptor removed, the square spindle will accept a daylight spool instead, although this is usually avoided due to the additional noise produced by the spool scraping against the interior of the magazine compartment. When unloading the film, be sure the core adaptor remains with the magazine. Sometimes the take-up will be equipped with a collapsible core and the film sent off to the lab coreless within the black plastic bag and can.

As the film leaves and re-enters the magazine, it travels through a slit or set of rollers arranged to prevent light from entering the magazine, known as a “light trap.” Sometimes a “velvet light trap” is used, with black velvet making contact with the film to prevent scratching of the film’s surface.



Figure 1.5 The 400ft coaxial magazine of the Arriflex SR, showing the take-up side of the magazine. Camera courtesy of The New School Film Office.

Sprocketed rollers (B)

From the supply reel, the film is propelled by a pair of sprocketed feed rollers located above and below the gate. On some magazine-loading cameras, like the Arriflex SR, these rollers may be located within the magazine itself. Some cameras have just a single roller; others two. The rollers will propel the film in constant motion as the camera runs, distinct from the intermittent movement of the film as it arrives at the gate.

Loops (C)

As noted above, the film moves continuously from the supply to the take-up, but as the ribbon of film arrives at the gate, the film must come to a stop during the moment of exposure and then move again to advance to the next frame. This requires some form of transition between the film's constant movement from supply and take-up and the intermittent movement at the gate: The loops are the slack, allowing this to happen. They appear as short, curving lengths of film on either side of the camera gate and pressure plate. As Arnold Eagle, with whom I had studied, would say, "The film loops are there because the film cannot stretch, or else it would snap."⁷ The two curved loops of slackened film will be seen to flutter as the camera runs.

The camera is designed for the loops to be of a particular size, and consequences can arise from the loops being larger or smaller: A loop that is too big may slap against part of the inside of the camera, causing scratching of the emulsion. Or in the case of a loop that is too small, the intermittent motion of the film at the gate may be impeded by the rollers tugging at the film and causing it to move during exposure. The consequence is a vertical smearing of light during exposure – especially noticeable in bright areas of the image – which might appear as a mistake but could hold possibilities for experimentation.⁸

An example of footage shot with bad loops is seen in the first few minutes of Bruce Baillie's *Castro Street* (1966). An engineer walks beside a diesel train, the scene cloudy with what seems to be early morning fog, but it could also be the blurring of the image due to the movement of the film during exposure – the white stenciled letters painted




Figure 1.6 D: The loop formers on a Bolex camera, showing the open and closed positions. Chapter 5 will cover the use of the loop formers when loading the Bolex.