



DESIGN OF NETWORK CODING SCHEMES IN WIRELESS NETWORKS

Zihuai Lin



 **CRC Press**
Taylor & Francis Group

Design of Network Coding Schemes in Wireless Networks



Taylor & Francis

Taylor & Francis Group

<http://taylorandfrancis.com>

Design of Network Coding Schemes in Wireless Networks

Zihuai Lin



CRC Press

Taylor & Francis Group

Boca Raton London New York

CRC Press is an imprint of the
Taylor & Francis Group, an **informa** business

First edition published 2022
by CRC Press
6000 Broken Sound Parkway NW, Suite 300, Boca Raton, FL 33487-2742

and by CRC Press
2 Park Square, Milton Park, Abingdon, Oxon, OX14 4RN

© 2022 Zihuai Lin

CRC Press is an imprint of Taylor & Francis Group, LLC

Reasonable efforts have been made to publish reliable data and information, but the author and publisher cannot assume responsibility for the validity of all materials or the consequences of their use. The authors and publishers have attempted to trace the copyright holders of all material reproduced in this publication and apologize to copyright holders if permission to publish in this form has not been obtained. If any copyright material has not been acknowledged please write and let us know so we may rectify in any future reprint.

Except as permitted under U.S. Copyright Law, no part of this book may be reprinted, reproduced, transmitted, or utilized in any form by any electronic, mechanical, or other means, now known or hereafter invented, including photocopying, microfilming, and recording, or in any information storage or retrieval system, without written permission from the publishers.

For permission to photocopy or use material electronically from this work, access www.copyright.com or contact the Copyright Clearance Center, Inc. (CCC), 222 Rosewood Drive, Danvers, MA 01923, 978-750-8400. For works that are not available on CCC please contact mpkbookspermissions@tandf.co.uk

Trademark notice: Product or corporate names may be trademarks or registered trademarks and are used only for identification and explanation without intent to infringe.

ISBN: 9781032067766 (hbk)
ISBN: 9781032067780 (pbk)
ISBN: 9781003203803 (ebk)

DOI: [10.1201/9781003203803](https://doi.org/10.1201/9781003203803)

Typeset in NimbusSanL-Regu font
by KnowledgeWorks Global Ltd.

Publisher's note: This book has been prepared from camera-ready copy provided by the authors.

Contents

List of Figures	ix
List of Tables.....	xiii
Acknowledgments.....	xv
Acronyms	xvii
Author Biography	xxi
Chapter 1 Introduction	1
1.1 Physical Layer Lattice Network Coding and Soft Information Delivery	2
1.1.1 Lattice coding.....	2
1.1.2 PNC soft information and delivery	2
1.2 Network Layer Network coding schemes.....	4
1.2.1 XOR network coding	4
1.2.2 Linear network coding	4
1.2.2.1 Random linear network coding	5
1.2.2.2 Distributed random linear network coding	6
1.2.3 Benefits made by network coding.....	6
1.2.3.1 Bandwidth efficiency	6
1.2.3.2 The basic idea	7
1.2.3.3 Other traffic configurations.....	8
1.2.3.4 Undirected networks.....	8
1.2.4 Energy efficiency	8
1.2.4.1 Multicast	9
1.2.4.2 Other traffic configurations.....	9
1.2.5 Delay performance.....	9
1.2.5.1 The average delay	10
1.2.5.2 Delay distribution	10
1.2.6 Reliability.....	11
1.2.6.1 Retransmissions and network coding	11
1.2.6.2 Combination of routing and network coding	13

1.3	Network coding design challenges	14
1.4	Organization of the Book.....	14
Chapter 2	Wireless Network Coded Systems for Multiple Interpretations....	25
2.1	Introduction.....	25
2.2	System Model	26
2.3	Optimization formulation	28
2.4	Analysis of the Average Channel Capacity	29
2.5	Network Coded System based on Nested Codes	32
2.5.1	Soft-Decision Decoding with Nested Codes.....	34
2.6	Analytical Bounds on the Bit Error Probability	35
2.7	Code Search.....	37
2.8	Numerical and Simulation Results	38
2.8.1	Average Channel Capacity and Outage Probability.....	38
2.8.2	The Performance of OS	42
2.8.3	The Performance of Nested Codes	43
2.9	Conclusions.....	44
Chapter 3	Distributed Network Coded Modulation Schemes for Multiple Access Relay Channels.....	47
3.1	Introduction.....	47
3.2	System Model	48
3.3	Distributed Network Coded Modulation Schemes based on Punctured Convolutional Codes	48
3.3.1	Decoding with Network Coded Modulation at the Destination Node.....	51
3.3.2	Analytical bounds on the bit error probability for the multiple access relay channels	53
3.4	Interleaved Distributed Network Coded Systems.....	57
3.5	Simulation Results for Distributed Network Coded Systems..	59
3.5.1	Simulation results for Distributed Network Coded System without Interleaver.....	59
3.5.2	Simulation results for Interleaved Distributed Network Coded System	60
3.6	Summary	61
Chapter 4	Lattice Network Coding for Multi-Way Relaying Systems	67
4.1	Introduction.....	67
4.2	System Model	68
4.2.1	System Model	68
4.2.2	Nested Convolutional Codes and Lattice Network Coding.....	68
4.3	Nested Convolutional Lattice Network Codes	70

4.4	Performance Analysis.....	74
4.5	Numerical Simulation Results.....	77
4.6	Conclusion.....	78
Chapter 5	Nested LDGM-based Lattice Network Codes for Multi-Access Relaying Systems	81
5.1	Introduction.....	81
5.2	System Model.....	82
5.3	Coding Process: Nested Binary LDGM Codes	83
5.4	Coding Process: Nested Non-binary LDGM with Lattice....	86
5.5	L-EMS Decoding Algorithm	90
5.6	Performance Analysis.....	91
5.7	Code Optimization using Lattice based Monte Carlo Method.....	93
5.8	Numerical and Simulation Results	97
5.8.1	Lattice Settings.....	97
5.8.2	Lattice-based Monte Carlo Method	97
5.8.3	Performance for the Lattice-based EMS decoder....	98
5.8.4	Performance of the nested non-binary LDGM codes with lattice.....	99
5.9	Conclusion.....	100
Chapter 6	Design of Soft Network Coding for Two-Way Relay Channels..	103
6.1	Introduction.....	103
6.2	System Model.....	104
6.3	TCQ codebook Design	106
6.4	Performance Analysis.....	108
6.4.1	Set a threshold.....	108
6.4.2	Performance Analysis on the Two schemes.....	109
6.5	Simulation Results.....	110
6.6	Conclusion	112
Chapter 7	Linear Neighbor Network Coding.....	113
7.1	Introduction.....	113
7.2	System Model.....	114
7.3	Theoretical Analysis	114
7.3.1	Construction of the States	115
7.3.2	Transition Matrices	115
7.3.3	The State Vectors	117
7.3.4	Reliability.....	118
7.3.5	Networks without Network Coding	118
7.4	Bounds on the Reliability	119
7.4.1	The Upper Bound.....	119
7.4.2	The Lower Bound	120

- 7.5 Results and Discussion 121
- 7.6 Conclusions..... 124

- Chapter 8** Random Neighbor Network Coding..... 127
 - 8.1 Introduction..... 127
 - 8.2 System model..... 127
 - 8.3 Theoretical analysis 128
 - 8.3.1 States 129
 - 8.3.2 Transition matrices..... 130
 - 8.3.3 Probability vector and the reliability..... 134
 - 8.4 Optimisations 134
 - 8.4.1 Optimize the reliability at an individual round 135
 - 8.4.2 Optimize the expected round to absorb 135
 - 8.5 Numerical results 135
 - 8.5.1 Validation of the theoretical analysis 136
 - 8.5.2 Optimal selection of the tuning parameter..... 136
 - 8.5.3 Examination on the reliability gain..... 139
 - 8.5.4 Comparison with the random linear network coding scheme..... 140
 - 8.6 Summary 141

- Index..... 143**

List of Figures

1.1	XOR network coding	4
1.2	Illustration of the column vector assignment to different channels.....	5
1.3	Traditional butterfly networks with routing or network coding schemes, where N_1 sends x_1 to N_4 and N_2 transmits x_2 to N_6	7
1.4	A network with five nodes using a combined network coding and retransmission scheme.....	12
1.5	Routing vs Network Coding	13
2.1	A network coding group with four source nodes and four destination nodes and one relay node.....	27
2.2	The coding process of a nest network coded system.....	32
2.3	Opportunistic scheduling against fixed scheduling with $N_T = 5$, $k =$ $1, 2$ and rate adaptation with/without optimal power allocation.....	40
2.4	Opportunistic scheduling against fixed scheduling with $N_T = 10$, $k =$ $1, 2$ and rate adaptation with/without optimal power allocation.....	41
2.5	Outage probability for opportunistic and fixed scheduling for $N = 5, 10$, $k = 1, 2$ with optimal power and rate adaptation.	41
2.6	The bit error probability performance of the received XORED packets before the last decoder at destination nodes under different OS selections....	42
2.7	The average number of the received packets per slot at different destination nodes under OS.	43
2.8	The performance of nested codes with different side information when OS level $k = 1$, RCPC code rate is $1/3$	44
3.1	An uplink transmission system with one source MT, a cooperative MT, a Relay node and a BS.	49
3.2	Iterative decoding for interleaved distributed network coded systems.....	58
3.3	Analytical upper bounds and one simulation result for punctured trellis coded MSK (i.e., CPFSK with 1REC and $h = 1/2$) with $r = 1/2, 2/3, 3/4$, $G(D) = [1, D + D^2]$ and $G(D) = [1 + D^2; 1 +$ $D + D^2]$	60
3.4	EXIT chart for interleaved distributed network coded MSK (i.e., CPFSK with 1REC and $h = 1/2$) with $r = 2/5, 1/2, 2/3, 3/4$, and $G(D) =$ $[1 + D + D^2; 1 + D^2]$	62
3.5	BER performance for interleaved distributed network coded MSK (i.e., CPFSK with 1REC and $h = 1/2$) with $r = 2/5, 1/2, 2/3, 3/4$, $G(D) =$ $[1 + D + D^2; 1 + D^2]$	63
4.1	Multiple source nodes and single relay.....	68
4.2	NCLC procedure at the relay node and the source node s_j	70

4.3 Upper bound on the WER and the simulation results for the investigated system.77

5.1 The compute-and-forward model.82

5.2 A special case with three sources, one relay, and one destination.....84

5.3 Probability distribution function of the received signal with three source nodes.....84

5.4 Code performance at relay and destination nodes with degree 6.85

5.5 Procedures of the non-binary nested LDGM with lattice at the relay and destination nodes.87

5.6 A new coordinate system for a practical Gaussian integer lattice constellations95

5.7 A practical Gaussian integer lattice constellations with the message space $\mathbb{F}_{13} \cong \mathcal{W}$, and $\mathcal{W} \cong \mathbb{Z}[i]/\delta\mathbb{Z}[i]$, where $\delta = 2 + 3i$97

5.8 \bar{w}_c optimization in the case of code length $N = 2 \times 10^3$, rate $R = 0.5$, and finite field \mathbb{F}_{13}98

5.9 Comparison of Lattice-based EMS decoding performances for the different n_m values over finite field \mathbb{F}_{13}99

5.10 The Monte-Carlo simulation result of the WER of the message at the destination in the compute-and-forward scheme with three transmitters, one relay and one destination. 100

6.1 A two-way relay network.105

6.2 A two-way relay network.106

6.3 A $(5, 2)_8$ convolutional encoder and its trellis diagram.....107

6.4 QPSK constellation.....108

6.5 BER performance for fading channels.111

6.6 BER performance for fading channels.111

7.1 Illustration of a lossy wireless network with n nodes applying neighbor network coding. Note that some paths are not shown in the figure.115

7.2 Simulation and theoretical results of the reliability of networks when $n = 3, 4, 5$, where the probabilistic connectivity matrix is given in eq. 7.18.122

7.3 The reliability gain of neighbor coding network over non-coded network when $n = 4$123

7.4 The reception of x_1 by the network with different neighbor network coding schemes, where the connectivity matrices are given in Eq. 7.19.....123

7.5 Bounds on the probability that N_3 receives x_1 where $n = 3$ nodes and the connectivity matrix is given by 7.20.124

8.1 A state transition diagram for a wireless network with three nodes.131

8.2 Theoretical and simulation results comparison for the network reliability applying RNNC when $n = 3$ and 4. The probabilistic connectivity matrices are given by Eq. (8.19).136

8.3	The reliability for a three node network at the 4 th round when ω varies from zero to one, the probabilistic connectivity matrix is given by eq. (8.20).....	137
8.4	The reliability for a three node network at the 6 th round when ω varies from zero to one, the probabilistic connectivity matrix is given by eq. (8.20).....	138
8.5	The reliability comparison for networks with three and four nodes. The connectivity matrices are given in eq. (8.23).	139
8.6	Performance comparison for different network coding schemes. The probabilistic connectivity matrix is given by Eq. (8.24).	140



Taylor & Francis

Taylor & Francis Group

<http://taylorandfrancis.com>

List of Tables

2.1	Table of good codes	37
2.2	Distance spectrum for code rates 1/6 and 2/6	38
2.3	Distance spectrum for code rates 3/6 and 4/6	39
3.1	Punct. matrices for the investigated Punctured trellis coded CPFSK schemes, $h = 1/2$, 1REC.	59
3.2	Puncturing and repetition matrices for the investigated interleaved distributed network coded systems.	61
7.1	The states of N_1 and corresponding packets for a network of three nodes, with N_3 , N_1 , and N_2 being the coding neighbours for N_1 , N_2 , and N_3 , respectively. The 6 th state, for example, is {111}, which indicates that N_1 has packets x_1 , x_2 and x_3	116
8.1	Optimal ω values for a three node network at different round with the probabilistic connectivity matrix given by Eq. 8.20.	138



Taylor & Francis

Taylor & Francis Group

<http://taylorandfrancis.com>

Acknowledgments

A list of people who assisted me and made it possible to finish the work would be very long but space forbids me to mention them all by name. However, I would like to thank all the former and present colleagues and friends at the School of Electrical and Information Engineering, University of Sydney for the contribution of the nice and friendly atmosphere here. Specially, I would like to thank Dr. Jing Yue, Dr. Yunaye Ma, Dr. Jun Li, Ms. Li Ma, Ms. Yiwen Li, Dr. Peng Wang, Dr. Ming Ding, Dr. Youjia Chen, Dr. Chuan Ma, Dr. Di Zhai, Dr. Xiaopeng Wang, Prof. Guoqiang Mao, Prof. Yonghui Li and Prof. Branka Vucetic for their enthusiastic support and invaluable discussions. Their patience and time are very much appreciated. My thanks also go to my present colleagues and friends at the Centre of IoT and Telecommunications and all other friends whose name are not mentioned here, thanks all of you for your friendship.

Zihuai Lin
Sydney, July 2021



Taylor & Francis

Taylor & Francis Group

<http://taylorandfrancis.com>